ECHA Microbiology Ltd Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195

E: info@echamicrobiology.com www.echamicrobiology.com



Sig Tests[®] SIG SULPHIDE[®]

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Sig Sulphide Test. Sig Sulphide Test. Trade name CAS No. Mixture. EINECS No. Mixture. REACH Registration No. None assigned.

Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) Detecting Sulphide Generating Bacteria (SGB) or

consortia of organisms capable of sulphide

generation.

Uses advised against Not to be used to test any substance / sample of

human or animal origin.

Details of the supplier of the Safety Data Sheet 1.3

ECHA Microbiology Ltd. Company Identification

Unit 22 & 23 Willowbrook Technology Park

Llandogo Rd., CARDIFF CF3 0EF United Kingdom (UK).

Telephone +44 (0) 29 2036 5930 +44 (0) 29 2036 1195

sales@echamicrobiology.com E-mail

Emergency telephone number

Fax

07970 150682 & 07813 833193 Company

2. SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture 2.1

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Sig Sulphide Test.

Hazard Pictogram None. Signal word(s) None Hazard statement(s) None. Precautionary statement(s) None.

2.3 Other hazards

Additional Information 2.4 No information available.

EP024.180717 Date: 16/05/2016 Page: 1/7

ECHA Microbiology Ltd
Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK
T: +44 (0) 29 2036 5930

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Sig Tests[®] SIG SULPHIDE[®]

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

No component is present at sufficient concentration to require a hazardous classification.

3.1 Mixtures

EC Classification No. 1272/2008

Substances	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Water	>95	7732-18-5	231-791-2	None assigned	None
Iron Sulphite Agar	>1	None	None	None assigned	None
		assianed	assianed		

3.2 Additional Information

None.

4. SECTION 4: FIRST AID MEASURES



4.3

4.1 Description of first aid measures

Inhalation Unlikely route of exposure.

Skin Contact Wash with plenty of soap and water.

Eye Contact

Hold eyelids apart and flush eyes with plenty of water

for at least 15 minutes. If symptoms persist, obtain

medical attention.

Ingestion Wash out mouth with water. Get medical

advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be required but if necessary treat symptomatically.

Indication of any immediate medical attention No special requirements.

and special treatment needed

4.4 Additional Information Exposure to the content of used test kit: If symptoms occur obtain medical attention

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

5.3 Advice for fire-fighters

As appropriate for surrounding fire.

None known.

This product may give rise to hazardous fumes in a fire.

Hazardous decomposition product(s): Carbon

monoxide, Carbon dioxide, Smoke.

Fire fighters should wear complete protective clothing

including self-contained breathing apparatus.

Chemical protection suit.

ECHA Microbiology Ltd
Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK
T: +44 (0) 29 2036 5930

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Sig Tests[®] SIG SULPHIDE[®]

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

Spillage is unlikely to occur unless the glass bottles of the test kit are broken.

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Unused test kit

Used test kit

6.4

7.2.2

Caution - spillages may be slippery. Wear protective gloves.

Avoid release to the environment.

Contain spillages with sand, earth or any suitable adsorbent material.

Cover with disinfectant. Wait for at least 10 minutes before recovering for disposal. If broken glass accidentally cuts the skin, clean the wound thoroughly and seek medical advice.

See Also Section 8

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Reference to other sections

With contents added: Wear appropriate personal protective equipment, avoid direct contact. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash the contaminated area of body with soap and fresh water. Do not open test bottle after sample addition or if contamination is suspected unless to dispose of as

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Storage Temperature

Unused test kit

Test kit IN USE Storage Life

7.2.3 Incompatible materials7.3 Specific end use(s)

Keep away from direct sunlight. Keep under: 25 - 30°C

Ideal storage temperature: 4 – 10 $^{\circ}$ C. Keep container tightly closed, in a cool, well ventilated place.

Keep in dark place.

25 - 30°C

Stable under normal conditions. No information available.

Detecting Sulphide Generating Bacteria (SGB) or consortia of organisms capable of sulphide generation.

ECHA Microbiology Ltd
Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK T: +44 (0) 29 2036 5930
F: +44 (0) 29 2036 1195

F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Sig Tests[®] SIG SULPHIDE[®]

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Water	7732-18-5					Not established
Iron Sulphite	None					Not established
Agar	assigned					

8.1.2 Biological limit value No information available.8.1.3 PNECs and DNELs No information available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection Wear protective eye glasses for protection against

liquid splashes.

Skin protection (Hand protection/ Other)

Wear protective gloves.

Ensure adequate ventilation.



Respiratory protection

Not normally required.



Thermal hazards Not applicable.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Gel in a glass bottle.

Colour Greenish.
Odour Odourless.
Odour Threshold (ppm) Not established.
pH (Value) 7.5

Melting Point (°C) 90°C
Boiling Point (°C) Not available.
Flash Point (°C) Not applicable.
Evaporation rate Not applicable.
Flammability Non-flammable.
Explosive Limit Ranges Not applicable.
Vapour Pressure (Mm Hg) Not applicable.

Vapour Density (Air=1)Not applicable.Density (g/ml)Not available.Bulk Density (g/ml)Not available.Solubility (Water)Miscible.

ECHA Microbiology Ltd

Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com

92



Sig Tests[®] SIG SULPHIDE[®]

Solubility (Other) Not available. Partition Coefficient (n-Octanol/water) Not available. Not applicable. Auto Ignition Temperature (°C) Decomposition Temperature (°C) Not available. Viscosity (mPa.s) Not applicable. Explosive properties Not explosive. Oxidising properties Not oxidising. Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

10.4 Conditions to avoid
 10.5 Incompatible materials
 No information available.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Low acute toxicity.

Used test kit: May be harmful microorganisms present (originating from the sample tested) which could cause infection after proliferation in the gel.

IrritationNon-irritant.CorrosivityNot classified.SensitisationIt is not a skin sensitiser.Repeated dose toxicityNone anticipated.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproduction Not classified.

Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Low toxicity to aquatic organisms.

12.2 Persistence and degradability The product is readily biodegradable. Unlikely to

persist.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil Soluble in water.

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None anticipated.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods If there is evidence of microbial contamination (i.e.

black colouration, turbidity or growth within the gel)

then dispose of as used test kits.

Unused test kit

Dispose of via an authorised person / licensed waste contractor in accordance with local, state or national

EP024.180717 Page: 5/7 Date: 16/05/2016

ECHA Microbiology Ltd Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 OEF, UK T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195

E: info@echamicrobiology.com www.echamicrobiology.com



Sig Tests[®] SIG SULPHIDE[®]

legislation.

Used test kit Incineration

Classify as a bio-hazardous infectious test kit showing growth. Incineration may be carried out under controlled conditions provided local regulations for emissions are met by an authorised person / licensed

waste contractor.

Disinfection followed by Licensed Waste

Contractor

A phenolic or bleach based disinfectant with a chlorine content of about 5% is suitable for making the disinfectant solution. Leave the bottle and its cap in

the disinfectant solution overnight.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1	UN number	Not applicable.
14.2	UN proper shipping name	Not applicable.
14.3	Transport hazard class(es)	Not applicable.
14.4	Packing Group	Not applicable.
14.5	Environmental hazards	Not applicable.
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	
14.8	Additional Information	Not applicable.

15. SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High

Concern for Authorisation

REACH: Annex XIV List of substances subject to

authorisation

REACH: Annex XVII Restrictions on the

manufacture, placing on the market and use of certain dangerous substances, mixtures and

Community Rolling Action Plan (CoRAP)

15.1.2 National regulations

15.2 Chemical Safety Assessment

All chemicals are not listed.

None known.

Not applicable.

ECHA Microbiology Ltd
Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK
T: +44 (0) 29 2036 5930
F: +44 (0) 29 2036 1195

F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Sig Tests[®] SIG SULPHIDE[®]

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ECHA Microbiology Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ECHA Microbiology Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.

ECHA, Sig Sulphide and Sig Tests are registered trademarks of **ECHA** Microbiology Ltd. in the UK., and are registered or unregistered trademarks in other select regions globally.

EP024.180717 Page: 7/7 Date: 16/05/2016