Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Dip Slides

SAFETY DATA SHEET

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 GHS Product Identifier

Product Name Dip Slides.
Trade Name Dip Slides.

Product Code ECHA09/DS, EC, RS

CAS No. Mixture. EINECS No. Mixture.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) Prepared culture media for the development of

microorganisms (HS 38.21.00.00.00) originating in the water associated with fuel, oil or other petroleum products and water samples from the following non-inclusive list of industrial sectors; aviation, petroleum, automotive, marine, power generation, military, fuel

storage and end users of fuel.

Uses advised against Not to be used to test any substance / sample of

human or animal origin.

1.3 Details of the supplier of the safety data sheet

Distributor

Fueltreat Australia Pty 30 - 32 Temple Drive

PO Box 205

Thomastown VIC 3074

Manufacturer ECHA Microbiology Ltd.

Unit 22 & 23 Willowbrook Technology Park

Llandogo Rd., CARDIFF CF3 0EF United Kingdom (UK).

 Telephone
 +44 (0) 29 2036 5930

 Fax
 +44 (0) 29 2036 1195

 E-mail
 Info@fueltreat.com.au

1.4 Emergency telephone number

Australia 03 9465 6011

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification (3rd Revision) Not classified as dangerous for supply/use.

2.2 Label elements According to GHS Classification

Hazard pictogram(s)None.Signal word(s)None.Hazard statement(s)None.Precautionary statement(s)None.

2.3 Other hazards None.

2.4 Additional Information None.

EP241. 061216 Page: 1 of 6 Date: 06/12/2016

Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 OEF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Dip Slides

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

No component is present at sufficient concentration to require a hazardous classification.

3.1 Substances

Not applicable.

3.2 Mixtures

GHS Classification

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard statement(s)
Water	>96	7732-18-5	231-791-2	None
Agar	<2	9002-18-0	232-658-1	None
Peptones	<2	100209-45-8	309-353-8	None

3.3 Additional Information

None

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

InhalationUnlikely route of exposure.Skin ContactWash with plenty of water.

Eye Contact Hold eyelids apart and flush eyes with plenty of water

for at least 15 minutes. If symptoms persist, obtain

medical attention.

Ingestion Wash out mouth with water. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

4.4 Additional Information Exposure to the content of used test kit: If symptoms

occur obtain medical attention.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media
Unsuitable extinguishing media
Special hazards arising from the substance of

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

As appropriate for surrounding fire. None known.

This product may give rise to hazardous fumes in a fire. Hazardous decomposition product(s): Carbon

monoxide, Carbon dioxide.

Fire fighters should wear complete protective clothing

including self-contained breathing apparatus.

Chemical protection suit.

EP241. 061216 Page: 2 of 6 Date: 06/12/2016

Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 OEF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Dip Slides

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.

Spillage is unlikely to occur unless the plastic bottles of the test kit are broken.

Personal precautions, protective equipment 6.1 and emergency procedures

Environmental precautions 6.2

Methods and material for containment and 6.3 cleaning up

Unused test kit Used test kit

6.4 Reference to other sections See Also Section 8.

Caution - spillages may be slippery. Wear protective gloves.

Avoid release to the environment.

Cover with absorbent or contain. Collect and dispose. Cover with disinfectant. Wait for at least 10 minutes before recovering for disposal. If broken plastic accidentally cuts the skin, clean the wound thoroughly and seek medical advice.

SECTION 7: HANDLING AND STORAGE 7.

7.1 Precautions for safe handling Wear appropriate personal protective equipment,

avoid direct contact. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash the contaminated area of body with

soap and fresh water.

7.2 Conditions for safe storage, including any Keep container tightly closed in a cool dark place. Keep away from direct sunlight.

incompatibilities **Storage Temperature**

Unused test kit Used test kit

Storage Life Incompatible materials Ideal storage temperature: 8 - 15 °C.

Incubate at 25° (or the temperature of the system being tested). If an incubator is not available use a dark warm draught free cupboard at 25° C.

Stable under normal conditions. No information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

8.1 Control parameters

Occupational Exposure Limits 8.1.1

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Water	7732-18-5	-	-	-	-	None assigned
Agar	9002-18-0	-	-	-	-	None assigned
Peptones	100209-45-8	-	-	-	-	None assigned

Source: WORKPLACE EXPOSURE STANDARDS FOR AIRBORNE CONTAMINANTS

8.1.2 Biological limit value No information available.

8.2 Appropriate engineering controls Ensure adequate ventilation.

8.3 Personal protection equipment

Eye/face protection

Wear protective eye glasses for protection against

liquid splashes.

Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 0EF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Dip Slides

Skin protection (Hand protection/ Other) Wear protective gloves.

Respiratory protection Not normally required.

Thermal hazards Not applicable.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Gel on a rectangular plastic slide contained in a clear

capped plastic tube.

Colour Colourless / Yellow / Pink / Brown.

Odour Odourless.

Odour threshold Not established.

pH 5.5-7.5 Melting point/freezing point 90°C

Initial boiling point and boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Upper/lower flammability or explosive limits
Vapour pressure

Not available.
Not applicable.
Non-flammable.
Not applicable.
Not applicable.

Vapour pressure
Vapour density
Relative density
Solubility (Water)
Not applicable.
Not available.
Miscible.

Solubility (Other)

Partition coefficient: n-octanol/water

No information available.

No information available.

Auto-ignition temperature Not applicable.

Decomposition temperature Not available.

Viscosity Not applicable.

9.2 Other information Non-

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

10.4 Conditions to avoid Keep away from direct sunlight.
 10.5 Incompatible materials No information available.

10.6 Hazardous decomposition products No hazardous decomposition products known.

EP241. 061216 Page: 4 of 6 Date: 06/12/2016

Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 OEF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Dip Slides

SECTION 11: TOXICOLOGICAL INFORMATION 11.

11.1 Information on toxicological effects

> Acute toxicity Low acute toxicity.

Used test kit: May be harmful and cause infection due to the presence of micro-organisms growing on the

Non-irritant. Skin corrosion/irritation Serious eye damage/irritation Not classified

Respiratory or skin sensitisation It is not a skin sensitiser.

Germ cell mutagenicity There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity.

Reproductive toxicity Not classified. Specific target organ toxicity — single exposure None anticipated. None anticipated.

Specific target organ toxicity — repeated

exposure

Aspiration hazard Not classified 11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION 12.

12.1 **Ecotoxicity** Low toxicity to aquatic organisms.

Persistence and degradability The product is readily biodegradable. Unlikely to 12.2

persist.

123 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil Soluble in water. 12.5 Other adverse effects None anticipated

SECTION 13: DISPOSAL CONSIDERATIONS 13.

Waste treatment methods If there is evidence of microbial contamination (i.e

> sports can be seen on the gel) then dispose of as non sterile and used test kits. If no growth is visible on the gel then dispose of as sterile and unused tests.

Sterile and Unused Dip Slide tests

Licensed Waste Contractor Dispose of via an authorised person / licensed waste

contractor in accordance with local, state or national

legislation.

Incineration Incineration may be carried out under controlled

conditions provided local regulations for emissions are

met by an authorised person / licensed waste

contractor.

Non sterile and used Dip Slide tests

Disinfection followed by Licensed Waste

Contractor

Sterilize the Dip Slides by following manufacturers instructions provided with the test kit. Dispose of via an authorised person / licensed waste contractor in accordance with local, state or national legislation.

FP241 061216 Page: 5 of 6 Date: 06/12/2016

Units 22 & 23 Willowbrook Technology Park, Llandogo Road, Cardiff, CF3 OEF, UK

T: +44 (0) 29 2036 5930 F: +44 (0) 29 2036 1195 E: info@echamicrobiology.com www.echamicrobiology.com



Dip Slides

Incineration Classify as a bio-hazardous infectious test kit showing

growth. Incineration may be carried out under controlled conditions provided local regulations for emissions are met by an authorised person / licensed waste contractor.

14. SECTION 14: TRANSPORT INFORMATION

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) Not classified as dangerous for transport.

14.1 **UN number** Not applicable. 14.2 **Proper Shipping Name** Not applicable. Transport hazard class(es) Not applicable. 14.3 **Packing Group** Not applicable. 14.4 Not applicable. 14.5 **Environmental hazards** 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code 14.8 **Hazchem or Emergency Action Code** Not applicable.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance

or mixture

AICS (Australian Inventory of Chemical

Substances)

Australian HVICL (High Volume Industrial

Chemicals List)

NICNAS Priority Existing Chemical (PEC) NPI (National Pollutant Inventory) All chemicals listed.

Listed: Water (CAS No.: 7732-18-5)

All chemicals are not listed.
All chemicals are not listed.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ECHA Microbiology Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ECHA Microbiology Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

EP241. 061216 Page: 6 of 6 Date: 06/12/2016