

# MICROBMONITOR<sup>®</sup> 2

## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	MicrobMonitor2.
Trade name	MicrobMonitor2.
Product Code	ECHA16/MM/01 (MM2-001), ECHA16/MM/02 (MM2-005), ECHA16/MM/50/NA (MM2-050NA), ECHA16/MM/50/WA (MM2-050WA)
CAS No.	Mixture.
EINECS No.	Mixture.
REACH Registration No.	None assigned.
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	
Identified use(s)	Prepared culture media for the development of microorganisms (HS 38.21.00.00.00) originating in fuel samples or water associated with fuel from the following non-inclusive list of industrial sectors: aviation, petroleum, automotive, marine, power generation, military, fuel storage and end users of fuel.
Uses advised against	Not to be used to test any substance / sample of human or animal origin.
<b>1.3 Details of the supplier of the safety data sheet</b>	
Company Identification	ECHA Microbiology Ltd. Unit 22 & 23 Willowbrook Technology Park Llandogo Rd., CARDIFF CF3 0EF United Kingdom (UK).
Telephone	+44 (0)29 2036 5930
Fax	+44 (0)29 2036 1195
E-mail	sales@echamicrobiology.com
<b>1.4 Emergency telephone number</b>	
Company	+44(0)7970 150682 & +44 (0)7908 743709

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
<b>2.2 Label elements</b>	
Product Name	According to Regulation (EC) No. 1272/2008 (CLP) MicrobMonitor2.
Hazard Pictogram(s)	None.
Signal word(s)	None.
Hazard statement(s)	None.
Precautionary statement(s)	None.
<b>2.3 Other hazards</b>	None.
<b>2.4 Additional Information</b>	None.

## MICROBMONITOR<sup>®</sup> 2

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

No component is present at sufficient concentration to require a hazardous classification.

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

EC Classification No. 1272/2008

Substances	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Water	>97	7732-18-5	231-791-2	None assigned	None
Tryptone	<0.5	91079-40-2	293-428-4	01-2119985423-31-0000	None
Purified Agar	<0.3	9002-18-0	232-658-1	None assigned	None

#### 3.3 Additional Information

None.

### SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation  
Skin Contact  
Eye Contact

Unlikely route of exposure.

Wash with plenty of water.

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. If symptoms persist, obtain medical attention.

Ingestion

Wash out mouth with water. Get medical advice/attention if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be required but if necessary treat symptomatically.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No special requirements.

#### 4.4 Additional Information

Exposure to the content of used test kit: If symptoms occur obtain medical attention.

## MICROBMONITOR<sup>®</sup> 2

### SECTION 5: FIREFIGHTING MEASURES

5.1	<b>Extinguishing Media</b> Suitable extinguishing media Unsuitable extinguishing media	As appropriate for surrounding fire. None known.
5.2	<b>Special hazards arising from the substance or mixture</b>	This product may give rise to hazardous fumes in a fire. Hazardous decomposition products: Carbon monoxide, Carbon dioxide.
5.3	<b>Advice for firefighters</b>	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Chemical protection suit.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Spillage is unlikely to occur unless the glass bottles of the test kit are broken.

6.1	<b>Personal precautions, protective equipment and emergency procedures</b>	Caution - spillages may be slippery. Wear protective gloves.
6.2	<b>Environmental precautions</b>	Avoid release to the environment.
6.3	<b>Methods and material for containment and cleaning up</b> Unused test kit Used test kit	Cover with absorbent or contain. Collect and dispose. Cover with disinfectant. Wait for at least 10 minutes before recovering for disposal. If broken glass accidentally cuts the skin, clean the wound thoroughly and seek medical advice.
6.4	<b>Reference to other sections</b>	See Also Section 8.

### SECTION 7: HANDLING AND STORAGE

7.1	<b>Precautions for safe handling</b>	Wear appropriate personal protective equipment, avoid direct contact. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash the contaminated area of body with soap and fresh water.
7.2	<b>Conditions for safe storage, including any incompatibilities</b>	Keep container tightly closed in a cool dark place. Keep away from direct sunlight.
7.2.1	<b>Storage Temperature</b> Unused test kit Used test kit	Ideal storage temperature: 2 – 8 °C. Incubate at 25° (or the temperature of the system being tested). If an incubator is not available use a dark warm draught free cupboard at 25°C.
7.2.2	<b>Storage Life</b>	Stable under normal conditions.
7.2.3	<b>Incompatible materials</b>	No information available.
7.3	<b>Specific end use(s)</b>	Prepared culture media for the development of microorganisms (HS 38.21.00.00.00) originating in fuel samples or water associated with fuel.

## MICROBMONITOR<sup>®</sup> 2

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Water	7732-18-5	-	-	-	-	Not established
Tryptone	91079-40-2	-	-	-	-	Not established
Purified Agar	9002-18-0	-	-	-	-	Not established

##### 8.1.2 Biological limit value

No information available.

##### 8.1.3 PNECs and DNELs

No information available.

#### 8.2 Exposure controls

##### 8.2.1 Appropriate engineering controls

Ensure adequate ventilation.

##### 8.2.2 Individual protection measures, such as personal protective equipment

Eye/face protection



Wear protective eye glasses for protection against liquid splashes.

Skin protection (Hand protection/ Other)



Wear protective gloves.

Respiratory protection

Not normally required.



Thermal hazards

Not applicable.

##### 8.2.3 Environmental Exposure Controls

Avoid release to the environment.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance

Gel in a glass bottle.

Colour

Colourless - Yellow - Pink.

Odour

Odourless.

Odour threshold

Not established.

pH

6.5

Melting point/freezing point

90°C

Initial boiling point and boiling range

Not available.

Flash point

Not applicable.

Evaporation rate

Not applicable.

Flammability (solid, gas)

Non-flammable.

Upper/lower flammability or explosive limits

Not applicable.

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

Not available.

## MICROBMONITOR<sup>®</sup> 2

	Bulk Density	Not available.
	Solubility(ies)	Miscible.
	Partition coefficient: n-octanol/water	No information available.
	Auto-ignition temperature	Not applicable.
	Decomposition Temperature	Not available.
	Viscosity	Not applicable.
	Explosive properties	Not explosive.
	Oxidising properties	Not oxidising.
9.2	<b>Other information</b>	None.

### SECTION 10: STABILITY AND REACTIVITY

10.1	<b>Reactivity</b>	Stable under normal conditions.
10.2	<b>Chemical stability</b>	Stable under normal conditions.
10.3	<b>Possibility of hazardous reactions</b>	No hazardous reactions known if used for its intended purpose.
10.4	<b>Conditions to avoid</b>	Keep away from direct sunlight.
10.5	<b>Incompatible materials</b>	No information available.
10.6	<b>Hazardous decomposition products</b>	No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

11.1	<b>Information on toxicological effects</b>	
	Acute toxicity	Low acute toxicity. Used test kit: May be harmful and cause infection due to the presence of micro-organisms growing in the gel.
	Skin corrosion/irritation	Not classified.
	Serious eye damage/irritation	Not classified.
	Respiratory or skin sensitisation	It is not a skin sensitiser.
	Germ cell mutagenicity	There is no evidence of mutagenic potential.
	Carcinogenicity	No evidence of carcinogenicity.
	Reproductive toxicity	None anticipated.
	STOT - single exposure	Not classified.
	STOT - repeated exposure	Not classified.
	Aspiration hazard	Not classified.
11.2	<b>Other information</b>	None.

### SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b>	Low toxicity to aquatic organisms.
12.2	<b>Persistence and degradability</b>	The product is readily biodegradable. Unlikely to persist.
12.3	<b>Bioaccumulative potential</b>	The product has low potential for bioaccumulation.
12.4	<b>Mobility in soil</b>	Soluble in water.
12.5	<b>Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB.
12.6	<b>Other adverse effects</b>	None anticipated.

## MICROBMONITOR<sup>®</sup> 2

### SECTION 13: DISPOSAL CONSIDERATIONS

<p><b>13.1 Waste treatment methods</b></p> <p><b>Sterile and Unused Microbmonitor<sup>2</sup> tests</b>          Licensed Waste Contractor</p> <p>Incineration</p> <p><b>Non sterile and used Microbmonitor<sup>2</sup> tests</b>          Disinfection followed by Licensed Waste Contractor</p> <p>Incineration</p>	<p>If there is evidence of microbial contamination (i.e red spots can be seen in the gel) then dispose of as non sterile and used test kits. If no growth is visible in the gel then dispose of as sterile and unused tests.</p> <p>Dispose of via an authorised person / licensed waste contractor in accordance with local, state or national legislation.</p> <p>Incineration may be carried out under controlled conditions provided local regulations for emissions are met by an authorised person / licensed waste contractor.</p> <p>Sterilize the Microbmonitor<sup>2</sup> kits by following manufacturers instructions provided with the test kit. Dispose of via an authorised person / licensed waste contractor in accordance with local, state or national legislation.</p> <p>Classify as a bio-hazardous infectious test kit showing growth. Incineration may be carried out under controlled conditions provided local regulations for emissions are met by an authorised person / licensed waste contractor.</p>
---	---

### SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

<p><b>14.1 UN number</b></p> <p><b>14.2 UN proper shipping name</b></p> <p><b>14.3 Transport hazard class(es)</b></p> <p><b>14.4 Packing Group</b></p> <p><b>14.5 Environmental hazards</b></p> <p><b>14.6 Special precautions for user</b></p> <p><b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b></p> <p><b>14.8 Additional Information</b></p>	<p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p>
---	---

### SECTION 15: REGULATORY INFORMATION

<p><b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b></p> <p><b>15.1.1 EU regulations</b></p> <p><b>Authorisations and/or restrictions on use</b></p> <p>Candidate List of Substances of Very High Concern for Authorisation</p> <p>REACH: ANNEX XIV List of substances subject to authorisation</p> <p>REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of</p>	<p>All chemicals are not listed.</p> <p>All chemicals are not listed.</p> <p>All chemicals are not listed.</p>
---	--

## MICROBMONITOR<sup>®</sup> 2

	certain dangerous substances, mixtures and articles	
	Community Rolling Action Plan (CoRAP)	All chemicals are not listed.
15.1.2	<b>National regulations</b>	None known.
15.2	<b>Chemical Safety Assessment</b>	Not applicable.

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

#### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ECHA Microbiology Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ECHA Microbiology Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

#### Annex to the extended Safety Data Sheet (eSDS)

Not applicable.